

www.SpeedDisplay.com	PAGE	UNIT PRICE	DELIVERY	TOTAL -VAT	UNIT PRICE +VAT	DELIVERY	TOTAL +VAT
ViaLED Base							
Sector (no battery)							
Monochrome	2	1 690,00 €	69,00 €	1 759,00 €	2 021,24 €	82,52 €	2 103,76 €
Bicolor	3	1 940,00 €	69,00 €	2 009,00 €	2 320,24 €	82,52 €	2 402,76 €
Monochrome + Statistics Pack	2	2 290,00 €	69,00 €	2 359,00 €	2 738,84 €	82,52 €	2 821,36 €
Bicolor + Pack Statistiques	3	2 540,00 €	69,00 €	2 609,00 €	3 037,84 €	82,52 €	3 120,36 €
Public Lighting (with a 12 V DC 20 Ah battery)							
Monochrome	4	1 940,00 €	79,00 €	2 019,00 €	2 320,24 €	94,48 €	2 414,72 €
Bicolor	5	2 190,00 €	79,00 €	2 269,00 €	2 619,24 €	94,48 €	2 713,72 €
Monochrome + Statistics Pack	4	2 540,00 €	79,00 €	2 619,00 €	3 037,84 €	94,48 €	3 132,32 €
Bicolor + Statistics Pack	5	2 790,00 €	79,00 €	2 869,00 €	3 336,84 €	94,48 €	3 431,32 €
Solar (with a 12 V DC 20 Ah battery)							
Monochrome	6	2 790,00 €	89,00 €	2 879,00 €	3 336,84 €	106,44 €	3 443,28 €
Bicolor	7	3 040,00 €	89,00 €	3 129,00 €	3 635,84 €	106,44 €	3 742,28 €
Monochrome + Statistics Pack	6	3 390,00 €	89,00 €	3 479,00 €	4 054,44 €	106,44 €	4 160,88 €
Bicolor + Statistics Pack	7	3 640,00 €	89,00 €	3 729,00 €	4 353,44 €	106,44 €	4 459,88 €
Batteries							
Additional Battery mounted in product		220,00 €	- €	220,00 €	263,12 €	- €	263,12 €
Replacement Battery shipped		160,00 €	30,00 €	190,00 €	191,36 €	35,88 €	227,24 €



ViaLED Base - Sector - Monochrome
ON CONTINUOUS ELECTRICAL POWER 115 / 230 V

Product Overview : LEDs Road Radar Speed Display.
Designed to be powered directly from sector.
Display vehicles speed continuously under the speed limit.
Display blinking speed when above speed limit.

Technical data :

- Power source : 115 / 230 V AC
- Dimensions : 750 x 650 x 100 mm
- Size of numbers : 32 cm height
- LEDs color : **Red**
- Speed : from 1 to 199 MPH (or KM/H)
- Accuracy : ± 1 MPH (or KM/H)
- Radar : 24.125 GHz - 5 mW (K-band)
- Radar type : Directional
- Measuring distance : from 0 to 330 feet (100 m)
- Visibility of system : 660 feet (200 m)
- Working temperature : - 20° C to + 50° C
- Weight : 15 kg / Package : 760 x 660 x 160 mm
- Case : Aluminum (black paint)
- Easy to install
- Installation manual

Functions :

Manual set up of speed limit via a small internal switch during installation.
The **SAFETY function** can be activated to avoid car speed contests :
The ViaLED stop displaying speed at + 40 km/h above the set up speed limit.



Price : 1 690.00 EUR excluding VAT
(Europe Delivery + 69.00 EUR excluding VAT)

> OPTION : Statistics Pack : + 600.00 EUR excluding VAT.

Data collected by USB key provided. Files in CSV format (compatible with Excel) for the diagrams.





ViaLED Base - Sector - Bicolor
ON CONTINUOUS ELECTRICAL POWER 115 / 230 V

Product Overview : LEDs Road Radar Speed Display.
Designed to be powered directly from sector.
Display the vehicles speed continuously, in **GREEN** under the speed limit and in **RED** above the speed limit defined.

Technical data :

- Power source : 115 / 230 V AC
- Dimensions : 750 x 650 x 100 mm
- Size of numbers : 32 cm height
- LEDs color : **Red & Green**
- Speed : from 1 to 199 MPH (or KM/H)
- Accuracy : ± 1 MPH (or KM/H)
- Radar : 24.125 GHz - 5 mW (K-band)
- Radar type : Directional
- Measuring distance : from 0 to 330 feet (100 m)
- Visibility of system : 660 feet (200 m)
- Working temperature : - 20° C to + 50° C
- Weight : 15 kg / Package: 760 x 660 x 160 mm
- Case : Aluminum (black paint)
- Easy to install
- Installation manual



Functions :

Manual set up of speed limit via a small internal switch during installation.
The **SAFETY function** can be activated to avoid car speed contests :
The ViaLED stop displaying speed at + 40 km/h above the set up speed limit.

Price : 1 940.00 EUR excluding VAT
(Europe Delivery + 69.00 EUR excluding VAT)

> **OPTION : Statistics Pack : + 600.00 EUR excl. VAT.**

Data collected by USB key provided. Files in CSV format (compatible with Excel) for the diagrams.





ViaLED Base - Public Lighting - Monochrome

ON PUBLIC LIGHTING 115 - 230 V BY NIGHT / HIGH CAPACITY BATTERY BY DAY

Product Overview : LEDs Road Radar Speed Display.

Designed to be powered on a public lighting spot during the night and by its high capacity additional battery during the day (that load at night). Display vehicles speed continuously under the speed limit.

Display blinking speed when above speed limit.

Technical data :

- Power on public lighting in 115 / 230 V AC
- + High Capacity Battery 12 V DC 20 Ah
- Dimensions : 750 x 650 x 100 mm
- Size of numbers : 32 cm height
- LEDs color : **Red**
- Speed : from 1 to 199 MPH (or KM/H)
- Accuracy : ± 1 MPH (or KM/H)
- Radar : 24.125 GHz - 5 mW (K-band)
- Radar type : Directional
- Measuring distance : from 0 to 330 feet (100 m)
- Visibility of system : 660 feet (200 m)
- Working temperature : - 20° C to + 50° C
- Power source : 115 / 230 VAC
- Weight : 20 kg / Package : 760 x 660 x 160 cm
- Case : Aluminum (black paint)
- Easy to install
- Installation manual



Functions :

Manual set up of speed limit via a small internal switch during installation.

The **SAFETY function** can be activated to avoid car speed contests :


The ViaLED stop displaying speed at + 40 km/h above the set up speed limit.

Price : 1 940.00 EUR excluding VAT

(Europe Delivery + 79.00 EUR excluding VAT)

> **OPTION : Statistics Pack** : + 600.00 EUR excluding VAT.


Data collected by USB key provided. Files in CSV format (compatible with Excel) for the diagrams.



www.SpeedDisplay.com - VirtuaVia LTD - Company Registration Number: 428 797 450 00023

2, rue Marcel-Benoit - 38000 Grenoble - France

Tél : + 33 9 50 06 52 82 - Fax + 33 9 55 70 03 53



ViaLED Base - Public Lighting - Bicolor

ON PUBLIC LIGHTING 115 - 230 V BY NIGHT / HIGH CAPACITY BATTERY BY DAY

Product Overview : LEDs Road Radar Speed Display.

Designed to be powered on a public lighting spot during the night and by its high capacity additional battery during the day (that load at night).

Display the vehicles speed continuously, in **GREEN** under the speed limit and in **RED** above the speed limit defined.

Technical data :

- Power on public lighting in 115 / 230 V AC
- + High Capacity Battery 12 V DC 20 Ah
- Dimensions : 750 x 650 x 100 mm
- Size of numbers : 32 cm height
- LEDs color : **Red & Green**
- Speed : from 1 to 199 MPH (or KM/H)
- Accuracy : ± 1 MPH (or KM/H)
- Radar : 24.125 GHz - 5 mW (K-band)
- Radar type : Directional
- Measuring distance : from 0 to 330 feet (100 m)
- Visibility of system : 660 feet (200 m)
- Working temperature : - 20° C to + 50° C
- Weight : 20 kg / Package : 760 x 660 x 160 mm
- Case : Aluminum (black paint)
- Easy to install
- Installation manual



Functions :

Manual set up of speed limit via a small internal switch during installation.

The **SAFETY function** can be activated to avoid car speed contests :

The ViaLED stop displaying speed at + 40 km/h above the set up speed limit.

Price : 2 190.00 EUR excluding VAT

(Europe Delivery + 79.00 EUR excluding VAT)

> **OPTION : Statistics Pack : + 600.00 EUR excluding VAT.**

Data collected by USB key provided. Files in CSV format (compatible with Excel) for the diagrams.





ViaLED Base - Solar - Monochrome
ON SOLAR PANEL BY DAY / HIGH CAPACITY BATTERY BY NIGHT

Product Overview : LEDs Solar Powered Radar Speed Display.
Powered by the solar panel during the day, it comes with an additional high capacity battery allowing operation during the night. Display vehicles speed continuously under the speed limit. Display blinking speed when above speed limit.

Technical data :

- 80 W Solar Panel
- + High Capacity Battery 12 V DC 20 Ah
- Dimensions : 750 x 650 x 100 mm
- Size of numbers : 32 cm height
- LEDs color : **Red**
- Speed : from 1 to 199 MPH (or KM/H)
- Accuracy : ± 1 MPH (or KM/H)
- Radar : 24.125 GHz - 5 mW (K-band)
- Radar type : Directional
- Measuring distance : from 0 to 330 feet (100 m)
- Visibility of system : 660 feet (200 m)
- Working temperature : - 20° C to + 50° C
- Weight : 25 kg / Package : 960 x 660 x 160 mm
- Case : Aluminum (black paint)
- Easy to install
- Installation manual

Functions :


Manual set up of speed limit via a small internal switch during installation.
The **SAFETY function** can be activated to avoid car speed contests :
The ViaLED stop displaying speed at + 40 km/h above the set up speed limit.




Price : 2 790.00 EUR excluding VAT
(Europe Delivery + 89.00 EUR excluding VAT)

> **OPTION : Statistics Pack : + 600.00 EUR excluding VAT.**

Data collected by USB key provided. Files in CSV format (compatible with Excel) for the diagrams.



www.SpeedDisplay.com - VirtuaVia LTD - Company Registration Number: 428 797 450 00023
2, rue Marcel-Benoit - 38000 Grenoble - France
Tél : + 33 9 50 06 52 82 - Fax + 33 9 55 70 03 53





ViaLED Base - Solar - Bicolor

ON SOLAR PANEL BY DAY / HIGH CAPACITY BATTERY BY NIGHT

Product Overview : LEDs Solar Powered Radar Speed Display.
Powered by the solar panel during the day, it comes with an additional high capacity battery allowing operation during the night.
Display the vehicles speed continuously, in **GREEN** under the speed limit and in **RED** above the speed limit defined.

Technical data :

- 80 W Solar Panel
- + High Capacity Battery 12 V DC 20 Ah
- Dimensions : 750 x 650 x 100 mm
- Size of numbers : 32 cm height
- LEDs color : **Red & Green**
- Speed : from 1 to 199 MPH (or KM/H)
- Accuracy : ± 1 MPH (or KM/H)
- Radar : 24.125 GHz - 5 mW (K-band)
- Radar type : Directional
- Measuring distance : from 0 to 330 feet (100 m)
- Visibility of system : 660 feet (200 m)
- Working temperature : - 20° C to + 50° C
- Weight : 25 kg / Package : 960 x 660 x 160 mm
- Case : Aluminum (black paint)
- Easy to install
- Installation manual



Functions :


Manual set up of speed limit via a small internal switch during installation.
The **SAFETY function** can be activated to avoid car speed contests :
The ViaLED stop displaying speed at + 40 km/h above the set up speed limit.

Price : 3 040.00 EUR excluding VAT

(Europe Delivery + 89.00 EUR excluding VAT)

> **OPTION : Statistics Pack : + 600.00 EUR excluding VAT.**

Data collected by USB key provided. Files in CSV format (compatible with Excel) for the diagrams.



www.SpeedDisplay.com - VirtuaVia LTD - Company Registration Number: 428 797 450 00023

2, rue Marcel-Benoit - 38000 Grenoble - France
Tél : + 33 9 50 06 52 82 - Fax + 33 9 55 70 03 53

